


EZ0912

GLOTECH - Cylinder head screws with hexagon socket - DIN 912

New



Features - benefits

cylindrical-head bolts with a GLOTECH hexagon socket are made from A2 (stainless steel) or A4 (acid-resistant steel)
 bolts manufactured with full or partial metric threads
 Thread length (b) - manufactured in accordance with the DIN standard
 Cylindrical-head screws with other technical specifications can be manufactured to order

Application

An Allen screw is a screw with a cylindrical head and a hexagonal socket used to join any materials
 it is ideal for lap joints in sheet metal, as well as steel and timber components, etc.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ0912210 16	10	16	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ0912210 20	10	20	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ0912210 25	10	25	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ0912210 30	10	30	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ0912210 35	10	35	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ0912210 40	10	40	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ0912210 45	10	45	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ0912210 50	10	50	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912210 55	10	55	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912210 60	10	60	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912210 70	10	70	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912210 80	10	80	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912210 100	10	100	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ0912210 180	10	180	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912212 25	12	25	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912212 30	12	30	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912212 35	12	35	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912212 40	12	40	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912212 50	12	50	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912212 60	12	60	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912212 70	12	70	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912212 80	12	80	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912212 90	12	90	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912212 100	12	100	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 20	16	20	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 25	16	25	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 30	16	30	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 35	16	35	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 40	16	40	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 45	16	45	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 50	16	50	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 55	16	55	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 60	16	60	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 65	16	65	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 70	16	70	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 75	16	75	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 80	16	80	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 90	16	90	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 100	16	100	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 110	16	110	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ0912216 120	16	120	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ0912216 130	16	130	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	25	opak.
●	EZ091222 5	2	5	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	1000	opak.
●	EZ091224 6	4	6	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	1000	opak.
●	EZ091224 8	4	8	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	1000	opak.
●	EZ091224 10	4	10	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	1000	opak.
●	EZ091224 12	4	12	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	1000	opak.
●	EZ091224 14	4	14	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	1000	opak.
●	EZ091224 16	4	16	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	1000	opak.
●	EZ091224 20	4	20	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091224 25	4	25	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091224 30	4	30	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091224 35	4	35	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091224 40	4	40	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091224 50	4	50	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091224 60	4	60	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ0912224 70	24	70	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091225 8	5	8	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091225 10	5	10	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091225 12	5	12	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091225 14	5	14	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091225 16	5	16	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091225 18	5	18	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091225 20	5	20	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091225 25	5	25	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091225 30	5	30	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091225 35	5	35	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091225 40	5	40	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091225 50	5	50	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ091225 60	5	60	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091226 8	6	8	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091226 10	6	10	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091226 12	6	12	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091226 14	6	14	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091226 16	6	16	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091226 18	6	18	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091226 20	6	20	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091226 25	6	25	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091226 30	6	30	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091226 35	6	35	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091226 40	6	40	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091226 40/40	6	40/40	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091226 45	6	45	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091226 50	6	50	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091226 50/50	6	50/50	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091226 55	6	55	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091226 60	6	60	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091226 70	6	70	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091226 75	6	75	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091226 80	6	80	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091226 80/80	6	80/80	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091228 10	8	10	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	500	opak.
●	EZ091228 16	8	16	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091228 20	8	20	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091228 22	8	22	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.
●	EZ091228 25	8	25	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091228 30	8	30	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	200	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ091228 35	8	35	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091228 40/40	8	40	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091228 45/45	8	45	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091228 50/50	8	50	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091228 55	8	55	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091228 60	8	60	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091228 60/60	8	60	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091228 65	8	65	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091228 70	8	70	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091228 80	8	80	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	100	opak.
●	EZ091228 90	8	90	gniazdo-6kt	A2 - stal nierdzewna	ISO 4762	50	opak.
●	EZ0912410 25	10	25	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	100	opak.
●	EZ0912410 90	10	90	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	50	opak.
●	EZ0912430 180	30	180	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	10	opak.
●	EZ091244 10	4	10	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	1000	opak.
●	EZ091244 16	4	16	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	1000	opak.
●	EZ091245 10	5	10	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	500	opak.
●	EZ091245 16	5	16	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	500	opak.
●	EZ091245 30	5	30	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	200	opak.
●	EZ091246 16	6	16	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	200	opak.
●	EZ091246 20	6	20	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	200	opak.
●	EZ091246 25	6	25	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	200	opak.
●	EZ091246 30	6	30	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	200	opak.
●	EZ091248 20	8	20	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	200	opak.
●	EZ091248 25	8	25	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	100	opak.
●	EZ091248 30	8	30	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	100	opak.
●	EZ091248 35	8	35	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	100	opak.
●	EZ091248 75	8	75	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	100	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ09124808 90	8	90	gniazdo-6kt	A4 - stal kwasoodporna	ISO 4762	50	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel

Minimum order quantity: 1 pack

Net price per pack

Download

[Kat_GLOTECH_DIN 912_niepelny gwint.pdf](#)
[Kat_GLOTECH_DIN 912_pelny gwint.pdf](#)

Related products

[GLOTECH - Wing screws - Item No. 316](#)

[GLOTECH - Eye bolts - Item No. 580](#)

[GLOTECH - Set screws with undercut -
DIN 603](#)

[GLOTECH - Hexagon head screws with
partial thread - DIN 931](#)



[GLOTECH - Hexagon head bolts with full
thread - DIN 933](#)

[GLOTECH - Low-profile cylindrical head
screws - hex socket - DIN 7984](#)

[GLOTECH - Countersunk flat-head
screws - hex socket - ISO 10642](#)

[GLOTECH - Countersunk flat-head
screws - TORX drive - ISO 10642](#)

