


EZ0931

GLOTECH - Hexagon head screws with partial thread - DIN 931

New



Features - benefits

GLOTECH hex head screws with partial thread are manufactured from A2 (stainless steel) or A4 (acid-resistant steel) screws with partial metric thread
Thread length parameter (b) - manufactured in accordance with the DIN standard
hexagon head screws with other technical specifications can be manufactured to order

Application

a popular screw for joining various types of metal structures
metric threaded screw
used in the engineering industry, construction, agriculture and many other areas of our lives
used by DIY enthusiasts and in households

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ0931210 40	10	40	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	100	opak.
●	EZ0931210 45	10	45	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	100	opak.
●	EZ0931210 50	10	50	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	50	opak.
●	EZ0931210 60	10	60	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	50	opak.
●	EZ0931210 70	10	70	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	50	opak.
●	EZ0931210 80	10	80	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	50	opak.
●	EZ0931210 85	10	85	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	50	opak.
●	EZ0931210 90	10	90	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	50	opak.
●	EZ0931212 45	12	45	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	50	opak.
●	EZ0931212 50	12	50	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	50	opak.
●	EZ0931212 60	12	60	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	50	opak.
●	EZ0931212 65	12	65	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	50	opak.
●	EZ0931212 70	12	70	łeb-6kt	A2 - stal nierdzwerna	ISO 4014	50	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ0931212 80	12	80	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931212 90	12	90	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931212 95	12	95	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931210 100	10	100	łeb-6kt	A2 - stal nierdzewna	ISO 4014	50	opak.
●	EZ0931212 100	12	100	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931212 110	12	110	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931212 120	12	120	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931212 130	12	130	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931212 180	12	180	łeb-6kt	A2 - stal nierdzewna	ISO 4014	10	opak.
●	EZ0931216 50	16	50	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931216 60	16	60	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931216 70	16	70	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931216 80	16	80	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931216 90	16	90	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931216 100	16	100	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931216 110	16	110	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931216 120	16	120	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931216 130	16	130	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931218 140	18	140	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931220 65	20	65	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931220 70	20	70	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931220 80	20	80	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931220 90	20	90	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931220 100	20	100	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931220 110	20	110	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931220 120	20	120	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ0931220 130	20	130	łeb-6kt	A2 - stal nierdzewna	ISO 4014	25	opak.
●	EZ093126 30	6	30	łeb-6kt	A2 - stal nierdzewna	ISO 4014	200	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ093128 30	8	30	łeb-6kt	A2 - stal nierdzewna	ISO 4014	100	opak.
●	EZ093128 40	8	40	łeb-6kt	A2 - stal nierdzewna	ISO 4014	100	opak.
●	EZ093128 50	8	50	łeb-6kt	A2 - stal nierdzewna	ISO 4014	100	opak.
●	EZ093128 60	8	60	łeb-6kt	A2 - stal nierdzewna	ISO 4014	100	opak.
●	EZ093128 65	8	65	łeb-6kt	A2 - stal nierdzewna	ISO 4014	100	opak.
●	EZ093128 70	8	70	łeb-6kt	A2 - stal nierdzewna	ISO 4014	50	opak.
●	EZ093128 80	8	80	łeb-6kt	A2 - stal nierdzewna	ISO 4014	50	opak.
●	EZ093128 90	8	90	łeb-6kt	A2 - stal nierdzewna	ISO 4014	50	opak.
●	EZ093128 100	8	100	łeb-6kt	A2 - stal nierdzewna	ISO 4014	50	opak.
●	EZ093128 110	8	110	łeb-6kt	A2 - stal nierdzewna	ISO 4014	50	opak.
●	EZ093128 120	8	120	łeb-6kt	A2 - stal nierdzewna	ISO 4014	50	opak.
●	EZ0931412 200	12	200	łeb-6kt	A4 - stal kwasoodporna	ISO 4014	10	opak.
●	EZ0931418 90	18	90	łeb-6kt	A4 - stal kwasoodporna	ISO 4014	25	opak.
●	EZ0931424 130	24	130	łeb-6kt	A4 - stal kwasoodporna	ISO 4014	10	opak.
●	EZ093148 45	8	45	łeb-6kt	A2 - stal nierdzewna	ISO 4014	100	opak.
●	EZ093148016 120	16	120	łeb-6kt	A2 - stal nierdzewna	ISO 4014	100	opak.
●	EZ09314808 60	8	60	łeb-6kt	A2 - stal nierdzewna	ISO 4014	100	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel

Minimum order quantity: 1 pack

Net price per pack

Download

[Kat_GLOTECH_DIN 931.pdf](#)

Related products

[GLOTECH - Wing screws - Item No. 316](#)

[GLOTECH - Eye bolts - Item No. 580](#)

[GLOTECH - Set screws with undercut -
DIN 603](#)

[GLOTECH - Cylinder head screws with
hexagon socket - DIN 912](#)



[GLOTECH - Hexagon head bolts with full
thread - DIN 933](#)

[GLOTECH - Low-profile cylindrical head
screws - hex socket - DIN 7984](#)

[GLOTECH - Countersunk flat-head
screws - hex socket - ISO 10642](#)

[GLOTECH - Countersunk flat-head
screws - TORX drive - ISO 10642](#)

