



EZ0933

GLOTECH - Hexagon head bolts with full thread - DIN 933

New



Features - benefits

GLOTECH hexagon head screws with full thread are manufactured from A2 (stainless steel) or A4 (acid-resistant steel)
metric full-threaded screw
hexagon head screws with other technical specifications can be manufactured to order

Application

a popular screw for joining various types of metal structures
metric threaded screw
used in the engineering industry, construction, agriculture and many other areas of our lives
used by DIY enthusiasts and in households

Catalogue	Index	Ø M [mm] Thread diameter	L [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ0933210 16	10	16	łeb-6kt	A2 - stal nierzewna	ISO 4017	100	opak.
●	EZ0933210 20	10	20	łeb-6kt	A2 - stal nierzewna	ISO 4017	100	opak.
●	EZ0933210 25	10	25	łeb-6kt	A2 - stal nierzewna	ISO 4017	100	opak.
●	EZ0933210 30	10	30	łeb-6kt	A2 - stal nierzewna	ISO 4017	100	opak.
●	EZ0933210 35	10	35	łeb-6kt	A2 - stal nierzewna	ISO 4017	100	opak.
●	EZ0933210 40	10	40	łeb-6kt	A2 - stal nierzewna	ISO 4017	100	opak.
●	EZ0933210 45	10	45	łeb-6kt	A2 - stal nierzewna	ISO 4017	100	opak.
●	EZ0933210 50	10	50	łeb-6kt	A2 - stal nierzewna	ISO 4017	50	opak.
●	EZ0933210 55	10	55	łeb-6kt	A2 - stal nierzewna	ISO 4017	50	opak.
●	EZ0933210 60	10	60	łeb-6kt	A2 - stal nierzewna	ISO 4017	50	opak.
●	EZ0933210 65	10	65	łeb-6kt	A2 - stal nierzewna	ISO 4017	50	opak.
●	EZ0933210 70	10	70	łeb-6kt	A2 - stal nierzewna	ISO 4017	50	opak.
●	EZ0933210 80	10	80	łeb-6kt	A2 - stal nierzewna	ISO 4017	50	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ0933210 85	10	85	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933210 90	10	90	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933210 100	10	100	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933210 110	10	110	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933210 120	10	120	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 16	12	16	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 20	12	20	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 25	12	25	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 30	12	30	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 35	12	35	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 40	12	40	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 45	12	45	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 50	12	50	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 55	12	55	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 60	12	60	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 65	12	65	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 70	12	70	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933212 80	12	80	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933212 90	12	90	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933212 100	12	100	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933212 110	12	110	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933212 120	12	120	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933214 50	14	50	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933214 60	14	60	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ0933216 30	16	30	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 35	16	35	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 40	16	40	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 45	16	45	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ0933216 50	16	50	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 55	16	55	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 60	16	60	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 65	16	65	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 70	16	70	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 75	16	75	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 80	16	80	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 90	16	90	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 100	16	100	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 120	16	120	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933216 130	16	130	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933218 50	18	50	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933218 65	18	65	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933218 140	18	140	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933220 50	20	50	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933220 55	20	55	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933220 60	20	60	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933220 70	20	70	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933220 80	20	80	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933220 90	20	90	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933220 100	20	100	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933220 110	20	110	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ0933220 120	20	120	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ093323 6	3	6	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093324 8	4	8	łeb-6kt	A2 - stal nierdzewna	ISO 4017	1000	opak.
●	EZ093324 10	4	10	łeb-6kt	A2 - stal nierdzewna	ISO 4017	1000	opak.
●	EZ093324 12	4	12	łeb-6kt	A2 - stal nierdzewna	ISO 4017	1000	opak.
●	EZ093324 16	4	16	łeb-6kt	A2 - stal nierdzewna	ISO 4017	1000	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ093324 20	4	20	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093324 25	4	25	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093324 30	4	30	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093324 40	4	40	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093324 50	4	50	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093324 60	4	60	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093325 5	5	5	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093325 6	5	6	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093325 8	5	8	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093325 10	5	10	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093325 12	5	12	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093325 14	5	14	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093325 16	5	16	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093325 18	5	18	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093325 20	5	20	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093325 22	5	22	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093325 25	5	25	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093325 30	5	30	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093325 35	5	35	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093325 40	5	40	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093325 45	5	45	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093325 50	5	50	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093325 55	5	55	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093325 60	5	60	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093325 65	5	65	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093325 70	5	70	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093325 75	5	75	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093325 80	5	80	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ093325 85	5	85	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093325 90	5	90	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093325 95	5	95	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093325 100	5	100	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093326 10	6	10	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093326 12	6	12	łeb-6kt	A2 - stal nierdzewna	ISO 4017	500	opak.
●	EZ093326 14	6	14	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093326 16	6	16	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093326 20	6	20	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093326 25	6	25	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093326 30	6	30	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093326 35	6	35	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093326 40	6	40	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093326 45	6	45	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093326 50	6	50	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093326 60	6	60	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093326 70	6	70	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093326 80	6	80	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093326 85	6	85	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093326 90	6	90	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093328 16	8	16	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093328 20	8	20	łeb-6kt	A2 - stal nierdzewna	ISO 4017	200	opak.
●	EZ093328 25	8	25	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093328 30	8	30	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093328 35	8	35	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093328 40	8	40	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093328 45	8	45	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093328 50	8	50	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ093328 55	8	55	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093328 60	8	60	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ093328 70	8	70	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ093328 75	8	75	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ093328 80	8	80	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ093328 90	8	90	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ093328 100	8	100	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ093328 110	8	110	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ093328 120	8	120	łeb-6kt	A2 - stal nierdzewna	ISO 4017	50	opak.
●	EZ093328 180	8	180	łeb-6kt	A2 - stal nierdzewna	ISO 4017	25	opak.
●	EZ093328010 40	10	40	łeb-6kt	A2 - stal nierdzewna	ISO 4017	100	opak.
●	EZ0933410 25	10	25	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ0933410 30	10	30	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ0933410 35	10	35	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ0933410 40	10	40	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ0933410 50	10	50	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	50	opak.
●	EZ0933410 60	10	60	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	50	opak.
●	EZ0933410 80	10	80	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	50	opak.
●	EZ0933410 100	10	100	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	50	opak.
●	EZ0933412 35	12	35	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	50	opak.
●	EZ0933412 40	12	40	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	50	opak.
●	EZ0933412 45	12	45	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	50	opak.
●	EZ0933412 100	12	100	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.
●	EZ0933416 30	16	30	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.
●	EZ0933416 35	16	35	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.
●	EZ0933416 40	16	40	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.
●	EZ0933416 50	16	50	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.
●	EZ0933416 55	16	55	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ0933416 80	16	80	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.
●	EZ0933416 110	16	110	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.
●	EZ0933416 120	16	120	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.
●	EZ0933416 130	16	130	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.
●	EZ0933420 60	20	60	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.
●	EZ0933420 140	20	140	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.
●	EZ093345 16	5	16	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	500	opak.
●	EZ093346 16	6	16	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	200	opak.
●	EZ093346 18	6	18	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	200	opak.
●	EZ093346 20	6	20	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	200	opak.
●	EZ093346 25	6	25	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	200	opak.
●	EZ093346 30	6	30	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	200	opak.
●	EZ093346 40	6	40	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	200	opak.
●	EZ093346 60	6	60	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ093348 16	8	16	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	200	opak.
●	EZ093348 20	8	20	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	200	opak.
●	EZ093348 25	8	25	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ093348 30	8	30	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ093348 35	8	35	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ093348 40	8	40	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ093348 45	8	45	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ093348 50	8	50	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ093348 60	8	60	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ093348 110	8	110	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	50	opak.
●	EZ093348010 20	10	20	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ093348010 30	10	30	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ093348010 80	10	80	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	50	opak.
●	EZ093348012 45	12	45	łeb-6kt	A4 - stal kwasoodporna	ISO 4017	50	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the bolt	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ093348016 70	16	70	feb-6kt	A4 - stal kwasoodporna	ISO 4017	25	opak.
●	EZ093348016 160	16	160	feb-6kt	A4 - stal kwasoodporna	ISO 4017	10	opak.
●	EZ09334806 25	6	25	feb-6kt	A4 - stal kwasoodporna	ISO 4017	200	opak.
●	EZ09334806 50	6	50	feb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ09334806 60	6	60	feb-6kt	A4 - stal kwasoodporna	ISO 4017	100	opak.
●	EZ09334808 20	8	20	feb-6kt	A4 - stal kwasoodporna	ISO 4017	200	opak.
●	EZ09334808 40	8	40	feb-6kt	A4 - stal kwasoodporna	ISO 4017	200	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel

Minimum order quantity: 1 pack

Net price per pack

Download

[Kat_GLOTECH_DIN 933.pdf](#)

Related products

[GLOTECH - Wing screws - Item No. 316](#)



[GLOTECH - Eye bolts - Item No. 580](#)



[GLOTECH - Set screws with undercut - DIN 603](#)



[GLOTECH - Cylinder head screws with hexagon socket - DIN 912](#)



[GLOTECH - Hexagon head screws with partial thread - DIN 931](#)



[GLOTECH - Low-profile cylindrical head screws - hex socket - DIN 7984](#)



[GLOTECH - Countersunk flat-head screws - hex socket - ISO 10642](#)



[GLOTECH - Countersunk flat-head screws - TORX drive - ISO 10642](#)

