

EZ0084

GLOTECH - Cylinder-head screws with straight slot - DIN 84

New



Features - benefits

GLOTECH cylindrical-head screw with straight slot is made from A2 (stainless steel) or A4 (acid-resistant steel)
metric threaded screw
DIN 84 screws with different technical specifications can be manufactured to order

Application

flat-head screw
most commonly used in machine construction and various household appliances
it is well-suited to the automotive, construction, shipbuilding and yachting sectors, as well as many other industries

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the screw	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ008423 3	3	3	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 4	3	4	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 5	3	5	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 6	3	6	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 8	3	8	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 10	3	10	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 12	3	12	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 16	3	16	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 20	3	20	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 22	3	22	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 25	3	25	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 30	3	30	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 35	3	35	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008423 40	3	40	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the screw	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ008423 45	3	45	PROSTE	A2 - stal nierdzewna	ISO 1207	200	opak.
●	EZ008424 4	4	4	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 5	4	5	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 6	4	6	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 8	4	8	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 10	4	10	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 12	4	12	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 16	4	16	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 20	4	20	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 25	4	25	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 30	4	30	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 35	4	35	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 40	4	40	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 45	4	45	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008424 50	4	50	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008425 6	5	6	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008425 8	5	8	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008425 10	5	10	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008425 12	5	12	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008425 16	5	16	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008425 20	5	20	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008425 25	5	25	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008425 30	5	30	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008425 35	5	35	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008425 40	5	40	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.
●	EZ008425 45	5	45	PROSTE	A2 - stal nierdzewna	ISO 1207	200	opak.
●	EZ008425 50	5	50	PROSTE	A2 - stal nierdzewna	ISO 1207	200	opak.
●	EZ008426 6	6	6	PROSTE	A2 - stal nierdzewna	ISO 1207	500	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Working length of the screw	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ008426 8	6	8	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008426 10	6	10	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008426 12	6	12	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008426 16	6	16	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008426 20	6	20	PROSTE	A2 - stal nierzewna	ISO 1207	500	opak.
●	EZ008426 25	6	25	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008426 30	6	30	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008426 35	6	35	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008426 40	6	40	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008426 45	6	45	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008426 50	6	50	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008428 10	8	10	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008428 12	8	12	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008428 16	8	16	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008428 20	8	20	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008428 25	8	25	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008428 30	8	30	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008428 35	8	35	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008428 40	8	40	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008428 45	8	45	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.
●	EZ008428 50	8	50	PROSTE	A2 - stal nierzewna	ISO 1207	200	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel

Minimum order quantity: 1 pack

Net price per pack

Download

[Kat_GLOTECH_DIN 84.pdf](#)

Related products

[GLOTECH - Flat-countersunk head
screws with straight slot - DIN 963](#)

[GLOTECH - PH pan-head screws - DIN
965](#)

[GLOTECH - PH flat-lens head screws -
DIN 7985](#)

[GLOTECH - Pan-head screws - hexagon
socket - ISO 7380-1](#)



[GLOTECH - Mushroom-head screws with flange - hexagonal socket - ISO 7380-2](#)



[GLOTECH - TORX countersunk flat-head screws - ISO 14581](#)



[GLOTECH - TORX flat-lens head screws - ISO 14583](#)

