

EZ0963

GLOTECH - Flat-countersunk head screws with straight slot - DIN 963

New



Features - benefits

GLOTECH pan-head screw with straight slot is made from A2 (stainless steel) or A4 (acid-resistant steel)
metric threaded screw
DIN 963 screws with different technical specifications can be manufactured to order

Application

countersunk flat-head screws are used in various industries they are used where a permanent connection between surfaces is required, whilst ensuring the screw head is fully concealed
they are used by fitters for tasks such as fastening boards, garden furniture or fixing hinges

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Screw length	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ096323 3	3	3	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096323 4	3	4	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096323 6	3	6	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096323 8	3	8	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096323 10	3	10	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096323 12	3	12	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096323 16	3	16	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096323 20	3	20	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096323 25	3	25	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096323 30	3	30	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096323 35	3	35	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096323 40	3	40	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096323 45	3	45	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096323 50	3	50	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Screw length	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ096324 6	4	6	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096324 8	4	8	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096324 10	4	10	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096324 12	4	12	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096324 16	4	16	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096324 20	4	20	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096324 25	4	25	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096324 30	4	30	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096324 35	4	35	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096324 40	4	40	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096324 45	4	45	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096324 50	4	50	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096325 6	5	6	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096325 8	5	8	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096325 10	5	10	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096325 12	5	12	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096325 16	5	16	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096325 20	5	20	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096325 25	5	25	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096325 30	5	30	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096325 35	5	35	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096325 40	5	40	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096325 45	5	45	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096325 50	5	50	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096325 55	5	55	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096325 60	5	60	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096325 70	5	70	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096325 80	5	80	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Screw length	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ096325 90	5	90	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096325 120	5	120	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096326 6	6	6	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096326 8	6	8	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096326 10	6	10	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096326 12	6	12	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096326 16	6	16	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096326 20	6	20	PROSTE	A2 - stal nierdzewna	ISO 2009	500	opak.
●	EZ096326 25	6	25	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096326 30	6	30	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096326 35	6	35	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096326 40	6	40	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096326 45	6	45	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096326 50	6	50	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096326 55	6	55	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096326 60	6	60	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096328 10	8	10	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096328 12	8	12	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096328 16	8	16	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096328 20	8	20	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096328 22	8	22	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096328 25	8	25	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096328 30	8	30	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096328 35	8	35	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096328 40	8	40	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096328 45	8	45	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096328 50	8	50	PROSTE	A2 - stal nierdzewna	ISO 2009	200	opak.
●	EZ096328 60	8	60	PROSTE	A2 - stal nierdzewna	ISO 2009	100	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Screw length	Guide	Material grade	Other standard	Quantity per pack	U.m.
-----------	-------	--------------------------------	------------------------	-------	----------------	-------------------	----------------------	------

Key: A2 - stainless steel, A4 - acid-resistant steel
Minimum order quantity: 1 pack
Net price per pack

Download

[Kat_GLOTECH_DIN 963.pdf](#)

Related products

[GLOTECH - Cylinder-head screws with
straight slot - DIN 84](#)



[GLOTECH - PH pan-head screws - DIN
965](#)



[GLOTECH - PH flat-lens head screws -
DIN 7985](#)



[GLOTECH - Pan-head screws - hexagon
socket - ISO 7380-1](#)



[GLOTECH - Mushroom-head screws with
flange - hexagonal socket - ISO 7380-2](#)



[GLOTECH - TORX countersunk flat-head
screws - ISO 14581](#)



[GLOTECH - TORX flat-lens head screws -
ISO 14583](#)

