




EZ7985

PH

GLOTECH - PH flat-lens head screws - DIN 7985

New



Features - benefits

GLOTECH PH flat-lens head screws are made from A2 (stainless steel) or A4 (acid-resistant steel)
metric threaded screw
DIN 7985 screws with different technical specifications can be manufactured to order

Application

This screw with a Phillips head is one of the most popular fasteners used across a wide range of applications
it is suitable for the construction sector, the engineering and shipbuilding industries, the manufacture of domestic appliances, agriculture, and the chemical and pharmaceutical industries

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Screw length	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ798523 6	3	6	PH	A2 - stal nierzewna	DIN 7985	500	opak.
●	EZ798523 8	3	8	PH	A2 - stal nierzewna	DIN 7985	500	opak.
●	EZ798523 10	3	10	PH	A2 - stal nierzewna	DIN 7985	500	opak.
●	EZ798523 12	3	12	PH	A2 - stal nierzewna	DIN 7985	500	opak.
●	EZ798523 16	3	16	PH	A2 - stal nierzewna	DIN 7985	500	opak.
●	EZ798523 20	3	20	PH	A2 - stal nierzewna	DIN 7985	500	opak.
●	EZ798523 25	3	25	PH	A2 - stal nierzewna	DIN 7985	500	opak.
●	EZ798523 30	3	30	PH	A2 - stal nierzewna	DIN 7985	500	opak.
●	EZ798523 35	3	35	PH	A2 - stal nierzewna	DIN 7985	500	opak.
●	EZ798523 40	3	40	PH	A2 - stal nierzewna	DIN 7985	500	opak.
●	EZ798524 8	4	8	PH	A2 - stal nierzewna	DIN 7985	500	opak.
●	EZ798524 10	4	10	PH	A2 - stal nierzewna	DIN 7985	500	opak.
●	EZ798524 12	4	12	PH	A2 - stal nierzewna	DIN 7985	500	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Screw length	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ798524 14	4	14	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798524 16	4	16	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798524 20	4	20	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798524 25	4	25	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798524 30	4	30	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798524 40	4	40	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798524 50	4	50	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798524 60	4	60	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798525 6	5	6	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798525 8	5	8	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798525 10	5	10	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798525 12	5	12	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798525 16	5	16	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798525 18	5	18	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798525 20	5	20	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798525 30	5	30	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798525 35	5	35	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798525 40	5	40	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798525 50	5	50	PH	A2 - stal nierdzewna	DIN 7985	200	opak.
●	EZ798525 60	5	60	PH	A2 - stal nierdzewna	DIN 7985	200	opak.
●	EZ798525 70	5	70	PH	A2 - stal nierdzewna	DIN 7985	200	opak.
●	EZ798526 8	6	8	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798526 10	6	10	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798526 12	6	12	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798526 16	6	16	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798526 20	6	20	PH	A2 - stal nierdzewna	DIN 7985	500	opak.
●	EZ798526 25	6	25	PH	A2 - stal nierdzewna	DIN 7985	200	opak.
●	EZ798526 30	6	30	PH	A2 - stal nierdzewna	DIN 7985	200	opak.

Catalogue	Index	Ø M [mm] Thread diameter	l [mm] Screw length	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ798526 40	6	40	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798526 50	6	50	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798526 60	6	60	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798526 70	6	70	PH	A2 - stal nierdzwena	DIN 7985	100	opak.
●	EZ798528 10	8	10	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798528 12	8	12	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798528 16	8	16	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798528 20	8	20	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798528 25	8	25	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798528 30	8	30	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798528 35	8	35	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798528 40	8	40	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798528 45	8	45	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798528 50	8	50	PH	A2 - stal nierdzwena	DIN 7985	200	opak.
●	EZ798528 60	8	60	PH	A2 - stal nierdzwena	DIN 7985	100	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel

Minimum order quantity: 1 pack

Net price per 1 pack

Any trade marks and/or company or product names used on this website belong to and/or are registered by their respective owners and are used solely for information purposes; this should not be construed as granting any licence or right to use them.

Download

[Kat_GLOTECH_DIN 7985 H.pdf](#)

Related products

[GLOTECH - Cylinder-head screws with straight slot - DIN 84](#)



[GLOTECH - Flat-countersunk head screws with straight slot - DIN 963](#)



[GLOTECH - PH pan-head screws - DIN 965](#)



[GLOTECH - Pan-head screws - hexagon socket - ISO 7380-1](#)



[GLOTECH - Mushroom-head screws with flange - hexagonal socket - ISO 7380-2](#)

[GLOTECH - TORX countersunk flat-head screws - ISO 14581](#)

[GLOTECH - TORX flat-lens head screws - ISO 14583](#)

