EZ4029 GLOTECH - Clamping screws with a hexagonal socket and countersunk head - ISO 4029

New



Features - benefits

GLOTECH clamping/set screw with a hexagonal socket and countersunk head is made from A2 (stainless steel) or A4 (acid-resistant steel)
clamping screws with other technical specifications can be manufactured to order

Application

A clamping screw with a countersunk head is used for fastening and clamping; these screws are used, amongst other things, in the automotive, construction and furniture industries, as well as in many other sectors; their purpose is to regulate the clamping force and apply pressure to a specific point

Catalogue	Index	∅ M [mm] Thread diameter	l [mm] Screw length	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ402923 4	3	4	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402923 5	3	5	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402923 6	3	6	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402923 8	3	8	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402923 10	3	10	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402923 12	3	12	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402923 16	3	16	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402923 20	3	20	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402923 25	3	25	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402923 30	3	30	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ4029212 25	12	25	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	100	opak.
●	EZ402924 5	4	5	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402924 6	4	6	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402924 8	4	8	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.

Catalogue	Index	∅ M [mm] Thread diameter	l [mm] Screw length	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ402924 10	4	10	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402924 12	4	12	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402924 16	4	16	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402924 20	4	20	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402924 25	4	25	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402924 30	4	30	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402925 5	5	5	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402925 6	5	6	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402925 8	5	8	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402925 10	5	10	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402925 12	5	12	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402925 16	5	16	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402925 20	5	20	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	500	opak.
●	EZ402925 25	5	25	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402925 30	5	30	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402925 40	5	40	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402926 5	6	5	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402926 8	6	8	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402926 10	6	10	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402926 12	6	12	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402926 16	6	16	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402926 20	6	20	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402926 25	6	25	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402926 30	6	30	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402928 10	8	10	gniazdo-6kt	A2 - stal nierdzewna	DIN 916	200	opak.
●	EZ402948 10	8	10	gniazdo-6kt	A4 - stal kwasoodporna	DIN 916	200	opak.
●	EZ4029412 25	12	25	gniazdo-6kt	A4 - stal kwasoodporna	DIN 916	100	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel

Minimum order quantity: 1 pack
Net price per pack

Download

Kat_GLOTECH_ISO 4029 - DIN 916.pdf

Related products

GLOTECH - Clamping screws with hexagonal socket and flat end - ISO 4026

GLOTECH - Set screws with hexagonal socket and tapered end - ISO 4027

GLOTECH - Clamping screws with a hexagonal socket and cylindrical shank - ISO 4028