EZ7504 M

GLOTECH - Self-tapping screws with PH flat-lens head - DIN 7504 M

New



Features - benefits

PH GLOTECH self-tapping screw with a flat-lens head, made from A2 (stainless steel) or A4 (acid-resistant steel)
The screw is characterised by high strength and corrosion resistance
Self-tapping screws with other technical specifications can be manufactured to order

Application

ideal for joining light/soft metals, e.g. aluminium (not steel!!!)
self-drilling screw with a Phillips head for use in damp environments
also used for joining timber (particularly hardwood) and various wood-based materials
Used in house construction (roofs, balustrades, aluminium structures, etc.) and in watercraft (ships, yachts, etc.)
Suitable for assembling timber structures, cladding, decking, fences, etc.
A screw used in many industries

Catalogue	Index	∅ d [mm] Thread diameter	l [mm] Working length of the screw	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ75042M35 13	3,5	13	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M35 16	3,5	16	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M35 19	3,5	19	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M35 25	3,5	25	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M35 95	3,5	9,5	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M39 13	3,9	13	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M39 16	3,9	16	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M39 19	3,9	19	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M39 25	3,9	25	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M39 32	3,9	32	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M42 13	4,2	13	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M42 16	4,2	16	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.

Catalogue	Index	∅ d [mm] Thread diameter	l [mm] Working length of the screw	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ75042M42 19	4,2	19	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M42 22	4,2	22	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M42 25	4,2	25	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M42 32	4,2	32	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M48 16	4,8	16	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M48 19	4,8	19	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M48 25	4,8	25	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M48 32	4,8	32	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M48 38	4,8	38	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M48 45	4,8	45	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M48 50	4,8	50	PH	A2 - stal nierdzewna	DIN 7504	500	opak.
●	EZ75042M48 60	4,8	60	PH	A2 - stal nierdzewna	DIN 7504	500	opak.
●	EZ75042M48 70	4,8	70	PH	A2 - stal nierdzewna	DIN 7504	500	opak.
●	EZ75042M48 75	4,8	75	PH	A2 - stal nierdzewna	DIN 7504	500	opak.
●	EZ75042M48 80	4,8	80	PH	A2 - stal nierdzewna	DIN 7504	500	opak.
●	EZ75042M48 90	4,8	90	PH	A2 - stal nierdzewna	DIN 7504	500	opak.
●	EZ75042M55 16	5,5	16	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M55 19	5,5	19	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042M55 25	5,5	25	PH	A2 - stal nierdzewna	DIN 7504	500	opak.
●	EZ75042M55 32	5,5	32	PH	A2 - stal nierdzewna	DIN 7504	500	opak.
●	EZ75042M55 35	5,5	35	PH	A2 - stal nierdzewna	DIN 7504	500	opak.
●	EZ75042M55 38	5,5	38	PH	A2 - stal nierdzewna	DIN 7504	500	opak.
●	EZ75042M55 40	5,5	40	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042M55 45	5,5	45	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042M55 50	5,5	50	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042M55 60	5,5	60	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042M55 70	5,5	70	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042M55 80	5,5	80	PH	A2 - stal nierdzewna	DIN 7504	200	opak.

Catalogue	Index	∅ d [mm] Thread diameter	l [mm] Working length of the screw	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ75042M55 90	5,5	90	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042M55 100	5,5	100	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75044M39 13	3,9	13	PH	A4 - stal kwasoodporna	DIN 7504	1000	opak.
●	EZ75044M42 19	4,2	19	PH	A4 - stal kwasoodporna	DIN 7504	1000	opak.
●	EZ75044M48 19	4,8	19	PH	A4 - stal kwasoodporna	DIN 7504	1000	opak.
●	EZ75044M48 22	4,8	22	PH	A4 - stal kwasoodporna	DIN 7504	1000	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel
Minimum order quantity: 1 pack
Net price per 1 pack
Any trade marks and/or company or product names used on this website belong to and/or are registered by their respective owners and are used solely for information purposes; this should not be construed as granting any licence or right to use them.

Download

Kat_GLOTECH_DIN 7504M PH.pdf

Related products

GLOTECH - Self-drilling screws with hexagonal head - DIN 7504 K

GLOTECH - Self-tapping screws with flat-lens TORX head - DIN 7504 M TX

GLOTECH - PH flat-conical head self-tapping screws - DIN 7504 O

GLOTECH - Self-tapping screws with conical-flat TORX head - DIN 7504 O TX