




EZ7504 O

GLOTECH - PH flat-conical head self-tapping screws - DIN 7504 O

New



Features - benefits

GLOTECH PH self-tapping screw with a countersunk head, manufactured from A2 (stainless steel) or A4 (acid-resistant steel)
the screw is characterised by high strength and corrosion resistance
self-tapping screws with other technical specifications can be manufactured to order

Application

ideal for joining light/soft metals, e.g. aluminium (not steel!!!)
self-tapping screw with a Phillips head for use in damp environments
used where a permanent joint is required, whilst ensuring the screw head is fully countersunk
also used for joining timber (particularly hardwood) and various wood-based materials
Used in house construction (roofs, balustrades, aluminium structures, etc.) and in watercraft (ships, yachts, etc.)
Suitable for assembling timber structures, facade cladding, decking, fences, etc.
A screw used across many industrial sectors

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of the screw	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ75042035 13	3,5	13	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042035 16	3,5	16	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042035 19	3,5	19	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042035 22	3,5	22	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042035 25	3,5	25	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042039 13	3,9	13	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042039 16	3,9	16	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042039 19	3,9	19	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042039 22	3,9	22	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042039 25	3,9	25	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042039 32	3,9	32	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042039 38	3,9	38	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of the screw	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ75042039 45	3,9	45	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042039 50	3,9	50	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042042 13	4,2	13	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042042 16	4,2	16	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042042 19	4,2	19	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042042 22	4,2	22	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042042 25	4,2	25	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042042 32	4,2	32	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042042 38	4,2	38	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042042 45	4,2	45	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042042 50	4,2	50	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042042 60	4,2	60	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042048 13	4,8	13	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042048 16	4,8	16	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042048 19	4,8	19	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042048 22	4,8	22	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042048 25	4,8	25	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042048 32	4,8	32	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042048 38	4,8	38	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042048 45	4,8	45	PH	A2 - stal nierdzewna	DIN 7504	1000	opak.
●	EZ75042048 50	4,8	50	PH	A2 - stal nierdzewna	DIN 7504	500	opak.
●	EZ75042048 60	4,8	60	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042048 70	4,8	70	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042048 75	4,8	75	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042048 80	4,8	80	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042048 90	4,8	90	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042048 100	4,8	100	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75042055 50	5,5	50	PH	A2 - stal nierdzewna	DIN 7504	200	opak.

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of the screw	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ75042055 80	5,5	80	PH	A2 - stal nierdzewna	DIN 7504	200	opak.
●	EZ75044042 60	4,2	60	PH	A4 - stal kwasoodporna	DIN 7504	1000	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel

Minimum order quantity: 1 pack

Net price per 1 pack

Any trade marks and/or company or product names used on this website belong to and/or are registered by their respective owners and are used solely for information purposes; this should not be construed as granting any licence or right to use them.

Download

[Kat_GLOTECH_DIN 7504O PH.pdf](#)

Related products

[GLOTECH - Self-drilling screws with hexagonal head - DIN 7504 K](#)



[GLOTECH - Self-tapping screws with PH flat-lens head - DIN 7504 M](#)



[GLOTECH - Self-tapping screws with flat-lens TORX head - DIN 7504 M TX](#)



[GLOTECH - Self-tapping screws with conical-flat TORX head - DIN 7504 O TX](#)

