EZ7976 GLOTECH - Hexagon head sheet metal screws - DIN 7976

New



Features - benefits

The GLOTECH hex head self-tapping screw is made from A2 (stainless steel) or, on request, from A4 (acid-resistant steel)
self-tapping screws with other technical specifications can be manufactured to order

Application

Hex head self-tapping screw for joining metal components (with a maximum sheet thickness of 0.5 mm)
Self-tapping screw for fastening metals to other materials
Used in the automotive industry, construction, interior fittings, upholstery, etc.
Used in many fields of application and across various sectors

Catalogue	Index	∅ d [mm] Thread diameter	l [mm] Working length of self-tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
●	EZ7976229 13	2,9	13	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976229 16	2,9	16	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976229 19	2,9	19	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976229 25	2,9	25	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976229 32	2,9	32	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976229 38	2,9	38	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976229 45	2,9	45	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976229 95	2,9	9,5	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976235 13	3,5	13	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976235 16	3,5	16	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976235 19	3,5	19	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976235 25	3,5	25	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976235 32	3,5	32	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.

Catalogue	Index	∅ d [mm] Thread diameter	l [mm] Working length of self-tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
●	EZ7976235 38	3,5	38	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976235 45	3,5	45	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976235 50	3,5	50	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976235 95	3,5	9,5	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976239 13	3,9	13	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976239 16	3,9	16	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976239 19	3,9	19	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976239 25	3,9	25	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976239 32	3,9	32	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976239 38	3,9	38	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976239 45	3,9	45	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976239 50	3,9	50	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976239 60	3,9	60	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976239 95	3,9	9,5	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976242 13	4,2	13	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976242 16	4,2	16	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976242 19	4,2	19	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976242 25	4,2	25	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976242 32	4,2	32	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976242 38	4,2	38	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976242 45	4,2	45	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976242 50	4,2	50	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976242 60	4,2	60	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976242 70	4,2	70	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976242 95	4,2	9,5	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976248 13	4,8	13	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976248 16	4,8	16	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.

Catalogue	Index	∅ d [mm] Thread diameter	l [mm] Working length of self-tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
●	EZ7976248 19	4,8	19	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976248 25	4,8	25	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976248 32	4,8	32	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976248 38	4,8	38	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976248 45	4,8	45	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976248 50	4,8	50	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976248 60	4,8	60	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976248 70	4,8	70	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976248 95	4,8	9,5	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976255 13	5,5	13	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976255 16	5,5	16	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976255 19	5,5	19	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976255 22	5,5	22	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	1000	opak.
●	EZ7976255 25	5,5	25	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976255 32	5,5	32	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976255 38	5,5	38	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976255 45	5,5	45	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976255 50	5,5	50	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976255 60	5,5	60	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976255 70	5,5	70	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976255 80	5,5	80	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976255 90	5,5	90	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976255 100	5,5	100	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976263 13	6,3	13	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976263 16	6,3	16	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976263 19	6,3	19	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976263 22	6,3	22	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.

Catalogue	Index	∅ d [mm] Thread diameter	l [mm] Working length of self-tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
●	EZ7976263 25	6,3	25	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976263 32	6,3	32	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	500	opak.
●	EZ7976263 38	6,3	38	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976263 45	6,3	45	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976263 50	6,3	50	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976263 60	6,3	60	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976263 70	6,3	70	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976263 80	6,3	80	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976263 90	6,3	90	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976263 110	6,3	110	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976280 16	8	16	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976280 19	8	19	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976280 22	8	22	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976280 25	8	25	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976280 32	8	32	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976280 38	8	38	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976280 45	8	45	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976280 50	8	50	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976280 60	8	60	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.
●	EZ7976280 70	8	70	6-kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7976	200	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel
Minimum order quantity: 1 pack
Net price per pack

Download

Kat_GLOTECH_DIN 7976.pdf

Related products

GLOTECH - Flat-lenticular-head self-tapping screws with PH socket - DIN 7981

GLOTECH - Flat-lens head self-tapping screws with TORX drive - ISO 14585

GLOTECH - Flat-conical head self-tapping screws with PH drive - DIN 7982 C-H

GLOTECH - Self-tapping screws with a countersunk head and TORX socket - ISO 14586

GLOTECH - Self-tapping screws with a cylindrical head, head to DIN 912 - hexagonal socket - Item No. 9051