


EZ7981 C-
H

GLOTECH - Flat-lenticular-head self-tapping screws with PH socket - DIN 7981

New



Features - benefits

The GLOTECH PH flat-lenticular-head self-tapping screw is made from A2 (stainless steel) or, on request, from A4 (acid-resistant steel). Self-tapping screws with different technical specifications can be manufactured to order

Application

self-tapping screw with a Phillips head for joining metal components (with a maximum sheet thickness of 0.5 mm)
sheet metal screw for fastening metals to other materials
used in the automotive industry, construction, interior design, upholstery, etc.
used in many fields of application and across various sectors

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of self- tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
●	EZ7981229 13	2,9	13	PH	C-ostry koniec	A2 - stal nierzewna	DIN 7981	1000	opak.
●	EZ7981229 16	2,9	16	PH	C-ostry koniec	A2 - stal nierzewna	DIN 7981	1000	opak.
●	EZ7981229 19	2,9	19	PH	C-ostry koniec	A2 - stal nierzewna	DIN 7981	1000	opak.
●	EZ7981229 25	2,9	25	PH	C-ostry koniec	A2 - stal nierzewna	DIN 7981	1000	opak.
●	EZ7981229 95	2,9	9,5	PH	C-ostry koniec	A2 - stal nierzewna	DIN 7981	1000	opak.
●	EZ7981235 13	3,5	13	PH	C-ostry koniec	A2 - stal nierzewna	DIN 7981	1000	opak.
●	EZ7981235 16	3,5	16	PH	C-ostry koniec	A2 - stal nierzewna	DIN 7981	1000	opak.
●	EZ7981235 19	3,5	19	PH	C-ostry koniec	A2 - stal nierzewna	DIN 7981	1000	opak.
●	EZ7981235 22	3,5	22	PH	C-ostry koniec	A2 - stal nierzewna	DIN 7981	1000	opak.
●	EZ7981235 25	3,5	25	PH	C-ostry koniec	A2 - stal nierzewna	DIN 7981	1000	opak.
●	EZ7981235 32	3,5	32	PH	C-ostry koniec	A2 - stal nierzewna	DIN 7981	1000	opak.
●	EZ7981235 38	3,5	38	PH	C-ostry koniec	A2 - stal nierzewna	DIN 7981	1000	opak.

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of self- tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
●	EZ7981235 45	3,5	45	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981235 50	3,5	50	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981235 60	3,5	60	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981235 95	3,5	9,5	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981239 13	3,9	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981239 16	3,9	16	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981239 19	3,9	19	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981239 22	3,9	22	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981239 25	3,9	25	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981239 32	3,9	32	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981239 38	3,9	38	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981239 45	3,9	45	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981239 50	3,9	50	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981239 60	3,9	60	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981239 65	3,9	6,5	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981239 70	3,9	70	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981239 95	3,9	9,5	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981242 13	4,2	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981242 16	4,2	16	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981242 19	4,2	19	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981242 22	4,2	22	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981242 25	4,2	25	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981242 32	4,2	32	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981242 38	4,2	38	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981242 45	4,2	45	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981242 50	4,2	50	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981242 60	4,2	60	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of self- tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
●	EZ7981242 80	4,2	80	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981242 95	4,2	9,5	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981248 13	4,8	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981248 16	4,8	16	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981248 19	4,8	19	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981248 22	4,8	22	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981248 25	4,8	25	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981248 32	4,8	32		C-ostre zakończenie	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981248 38	4,8	38	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981248 45	4,8	45	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981248 50	4,8	50		C-ostre zakończenie	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981248 55	4,8	55		C-ostre zakończenie	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981248 60	4,8	60	PH	C-ostre zakończenie	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981248 70	4,8	70	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981248 80	4,8	80	PH	C-ostre zakończenie	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981248 90	4,8	90	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981248 95	4,8	9,5	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981248 100	4,8	100	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981255 13	5,5	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981255 16	5,5	16	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981255 19	5,5	19	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981255 22	5,5	22	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	1000	opak.
●	EZ7981255 25	5,5	25	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981255 32	5,5	32	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981255 38	5,5	38	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981255 42	5,5	42	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981255 45	5,5	45	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of self- tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
●	EZ7981255 50	5,5	50	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981255 60	5,5	60	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981255 70	5,5	70	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981255 80	5,5	80	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981255 90	5,5	90	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981255 100	5,5	100	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981263 13	6,3	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981263 16	6,3	16	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981263 19	6,3	19	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	500	opak.
●	EZ7981263 25	6,3	25	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981263 32	6,3	32	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981263 45	6,3	45	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981263 50	6,3	50	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981263 60	6,3	60	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981263 70	6,3	70	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981263 80	6,3	80	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981263 90	6,3	90	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
●	EZ7981263 100	6,3	100	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7981	200	opak.
○	EZ7981429 16	2,9	16	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7981	1000	opak.
●	EZ7981435 13	3,5	13	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7981	1000	opak.
○	EZ7981439 22	3,9	22	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7981	1000	opak.
○	EZ7981439 95	3,9	9,5	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7981	1000	opak.
●	EZ7981442 13	4,2	13	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7981	1000	opak.
○	EZ7981448 19	4,8	19	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7981	1000	opak.
●	EZ7981448 25	4,8	25	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7981	500	opak.
○	EZ7981448 70	4,8	70	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7981	200	opak.
○	EZ7981448 95	4,8	9,5	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7981	1000	opak.

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of self- tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
	EZ7981455 16	5,5	16	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7981	1000	opak.
	EZ7981463 70	6,3	70	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7981	200	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel

Minimum order quantity: 1 pack

Net price per 1 pack

Any trade marks and/or company or product names used on this website belong to and/or are registered by their respective owners and are used solely for information purposes; this should not be construed as granting any licence or right to use them.

Download

[Kat_GLOTECH_DIN 7981 H.pdf](#)

Related products

[GLOTECH - Hexagon head sheet metal screws - DIN 7976](#)



[GLOTECH - Flat-lens head self-tapping screws with TORX drive - ISO 14585](#)



[GLOTECH - Flat-conical head self-tapping screws with PH drive - DIN 7982 C-H](#)



[GLOTECH - Self-tapping screws with a countersunk head and TORX socket - ISO 14586](#)



[GLOTECH - Self-tapping screws with a cylindrical head, head to DIN 912 - hexagonal socket - Item No. 9051](#)

