

EZ7982 C-
H

GLOTECH - Flat-conical head self-tapping screws with PH drive - DIN 7982 C-H

New



Features - benefits

The PH GLOTECH flat-conical head sheet metal screw is made from A2 (stainless steel) or, on request, from A4 (acid-resistant steel). Sheet metal screws with different technical specifications can be manufactured to order

Application

self-tapping screw with a PHILLIPS drive for joining metal components (with a maximum sheet thickness of 0.5 mm)
self-tapping screw for fastening metals to other materials
used where a permanent joint is required, whilst fully concealing the screw head
used in the automotive industry, construction, interior fittings, upholstery, etc.
used in many fields of application and across various sectors

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of self- tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
●	EZ7982222 13	2,2	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982229 13	2,9	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982229 16	2,9	16	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982229 19	2,9	19	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982229 25	2,9	25	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982229 95	2,9	9,5	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982235 13	3,5	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982235 16	3,5	16	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982235 19	3,5	19	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982235 22	3,5	22	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982235 25	3,5	25	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982235 32	3,5	32	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of self- tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
●	EZ7982235 38	3,5	38	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982235 45	3,5	45	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982235 50	3,5	50	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982235 60	3,5	60	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982235 95	3,5	9,5	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982239 13	3,9	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982239 16	3,9	16	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982239 19	3,9	19	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982239 22	3,9	22	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982239 25	3,9	25	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982239 32	3,9	32	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982239 38	3,9	38	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982239 45	3,9	45	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982239 50	3,9	50	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982239 60	3,9	60	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982239 95	3,9	9,5	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982242 13	4,2	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982242 16	4,2	16	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982242 19	4,2	19	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982242 22	4,2	22	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982242 25	4,2	25	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982242 32	4,2	32	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982242 38	4,2	38	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982242 45	4,2	45	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982242 50	4,2	50	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982242 60	4,2	60	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982242 70	4,2	70	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of self- tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
●	EZ7982242 80	4,2	80	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982242 95	4,2	9,5	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982248 13	4,8	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982248 16	4,8	16	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982248 19	4,8	19	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982248 22	4,8	22	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982248 25	4,8	25	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982248 32	4,8	32	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982248 38	4,8	38	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982248 45	4,8	45	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982248 50	4,8	50	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982248 55	4,8	55	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982248 60	4,8	60	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982248 70	4,8	70	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982248 80	4,8	80	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982248 90	4,8	90	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982248 95	4,8	9,5	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
○	EZ7982248 100	4,8	100	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982255 13	5,5	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982255 16	5,5	16	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982255 19	5,5	19	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982255 22	5,5	22	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	1000	opak.
●	EZ7982255 25	5,5	25	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982255 38	5,5	38	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982255 45	5,5	45	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982255 50	5,5	50	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982255 55	5,5	55	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of self- tapping screw	Guide	Other information	Material grade	Other standard	Quantity per pack	U.m.
●	EZ7982255 60	5,5	60	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982255 70	5,5	70	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982255 80	5,5	80	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982255 90	5,5	90	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982255 120	5,5	120	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982263 13	6,3	13	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982263 16	6,3	16	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982263 19	6,3	19	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982263 22	6,3	22	łeb-6kt	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	500	opak.
●	EZ7982263 25	6,3	25	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982263 32	6,3	32	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982263 38	6,3	38	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982263 45	6,3	45	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982263 50	6,3	50	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982263 60	6,3	60	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982263 90	6,3	90	PH	C-ostry koniec	A2 - stal nierdzewna	DIN 7982	200	opak.
●	EZ7982429 95	2,9	9,5	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7982	1000	opak.
○	EZ7982442 45	4,2	45	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7982	500	opak.
○	EZ7982442 80	4,2	80	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7982	200	opak.
○	EZ7982455 80	5,5	80	PH	C-ostry koniec	A4 - stal kwa soodporna	DIN 7982	200	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel

Minimum order quantity: 1 pack

Net price per 1 pack

Any trade marks and/or company or product names used on this website belong to and/or are registered by their respective owners and are used solely for information purposes; this should not be construed as granting any licence or right to use them.

Download

[Kat_GLOTECH_DIN 7982 H.pdf](#)

Related products

[GLOTECH - Hexagon head sheet metal screws - DIN 7976](#)

[GLOTECH - Flat-lenticular-head self-tapping screws with PH socket - DIN 7981](#)

[GLOTECH - Flat-lens head self-tapping screws with TORX drive - ISO 14585](#)

[GLOTECH - Self-tapping screws with a countersunk head and TORX socket - ISO 14586](#)



[GLOTECH - Self-tapping screws with a cylindrical head, head to DIN 912 - hexagonal socket - Item No. 9051](#)

