

EZ0571

GLOTECH - Hex head wood screws - DIN 571

New



Features - benefits

GLOTECH hex head wood screw, made from A2 (stainless steel) or A4 (acid-resistant steel)
the screw is characterised by high strength and corrosion resistance
screws with other technical specifications can be manufactured to order

Application

A hex head screw is the ideal solution for joining timber
it is used, amongst other things, in sawmilling, construction, timber processing, etc.
it is utilised in many areas of application across industries that use all kinds of timber structures

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of the screw	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ0571210 40	10	40	6-KT	A2 - stal nierdzwena	PN 82501	100	opak.
●	EZ0571210 45	10	45	6-KT	A2 - stal nierdzwena	PN 82501	100	opak.
●	EZ0571210 50	10	50	6-KT	A2 - stal nierdzwena	PN 82501	100	opak.
●	EZ0571210 55	10	55	6-KT	A2 - stal nierdzwena	PN 82501	100	opak.
●	EZ0571210 60	10	60	6-KT	A2 - stal nierdzwena	PN 82501	100	opak.
●	EZ0571210 65	10	65	6-KT	A2 - stal nierdzwena	PN 82501	100	opak.
●	EZ0571210 70	10	70	6-KT	A2 - stal nierdzwena	PN 82501	100	opak.
○	EZ0571210 75	10	75	6-KT	A2 - stal nierdzwena	PN 82501	100	opak.
●	EZ0571210 80	10	80	6-KT	A2 - stal nierdzwena	PN 82501	100	opak.
●	EZ0571210 90	10	90	6-KT	A2 - stal nierdzwena	PN 82501	50	opak.
●	EZ0571210 100	10	100	6-KT	A2 - stal nierdzwena	PN 82501	50	opak.
●	EZ0571210 110	10	110	6-KT	A2 - stal nierdzwena	PN 82501	50	opak.
●	EZ0571210 120	10	120	6-KT	A2 - stal nierdzwena	PN 82501	50	opak.
●	EZ0571210 130	10	130	6-KT	A2 - stal nierdzwena	PN 82501	50	opak.

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of the screw	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ0571210 140	10	140	6-KT	A2 - stal nierdzewna	PN 82501	50	opak.
●	EZ0571210 150	10	150	6-KT	A2 - stal nierdzewna	PN 82501	50	opak.
●	EZ0571210 160	10	160	6-KT	A2 - stal nierdzewna	PN 82501	50	opak.
●	EZ0571210 180	10	180	6-KT	A2 - stal nierdzewna	PN 82501	50	opak.
●	EZ0571210 200	10	200	6-KT	A2 - stal nierdzewna	PN 82501	50	opak.
●	EZ057126 25	6	25	6-KT	A2 - stal nierdzewna	PN 82501	200	opak.
●	EZ057126 30	6	30	6-KT	A2 - stal nierdzewna	PN 82501	200	opak.
●	EZ057126 35	6	35	6-KT	A2 - stal nierdzewna	PN 82501	200	opak.
●	EZ057126 40	6	40	6-KT	A2 - stal nierdzewna	PN 82501	200	opak.
●	EZ057126 45	6	45	6-KT	A2 - stal nierdzewna	PN 82501	200	opak.
●	EZ057126 50	6	50	6-KT	A2 - stal nierdzewna	PN 82501	200	opak.
●	EZ057126 55	6	55	6-KT	A2 - stal nierdzewna	PN 82501	200	opak.
●	EZ057126 60	6	60	6-KT	A2 - stal nierdzewna	PN 82501	200	opak.
●	EZ057126 65	6	65	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057126 70	6	70	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057126 75	6	75	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057126 80	6	80	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057126 90	6	90	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057126 100	6	100	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057126 110	6	110	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057126 120	6	120	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057126 130	6	130	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057126 140	6	140	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 25	8	25	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 30	8	30	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 35	8	35	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 40	8	40	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 45	8	45	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.

Catalogue	Index	Ø d [mm] Thread diameter	l [mm] Working length of the screw	Guide	Material grade	Other standard	Quantity per pack	U.m.
●	EZ057128 50	8	50	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 55	8	55	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 60	8	60	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 65	8	65	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 70	8	70	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 75	8	75	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 80	8	80	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 90	8	90	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 100	8	100	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 110	8	110	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 120	8	120	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 130	8	130	6-KT	A2 - stal nierdzewna	PN 82501	100	opak.
●	EZ057128 140	8	140	6-KT	A2 - stal nierdzewna	PN 82501	50	opak.
●	EZ057128 150	8	150	6-KT	A2 - stal nierdzewna	PN 82501	50	opak.
●	EZ057128 160	8	160	6-KT	A2 - stal nierdzewna	PN 82501	50	opak.
●	EZ057128 180	8	180	6-KT	A2 - stal nierdzewna	PN 82501	50	opak.
○	EZ057128 200	8	200	6-KT	A2 - stal nierdzewna	PN 82501	50	opak.
○	EZ057146 70	6	70	6-KT	A4 - stal kwasoodporna	PN 82501	100	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel

Minimum order quantity: 1 pack

Net price per pack

Download

[Kat_GLOTECH_DIN 571.pdf](#)

Related products

[GLOTECH - Chipboard screws with PZ flat-lenticular head - Item No. 9048](#)

[GLOTECH - PZ \(SEKO\) countersunk flat-head screws for chipboard - Item No. 9050](#)

[GLOTECH - Decking screws for hardwood with a cutting tip and TORX drive - Item No. 9242](#)

