



EZ1234

GLOTECH - Straight split pins - DIN 94

New



Features - benefits

The GLOTECH straight cotter pin is manufactured from A2 (stainless steel) or A4 (acid-resistant steel) cotter pins with other technical specifications can be produced to order (e.g. galvanised steel, etc.)

Application

Used to join and secure components across many industrial sectors
Essential both in the manufacture of machinery and equipment and in the construction of buildings
It prevents the structure from coming loose unintentionally
Also used in domestic settings

Catalogue	Index	Ø d [mm] Diameter	l [mm] Length	Material grade	Other standard	Quantity per pack	U.m.
○	EZ1234216 10	1,6	10	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234216 12	1,6	12	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234216 16	1,6	16	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234216 20	1,6	20	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234216 25	1,6	25	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234216 32	1,6	32	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234216 36	1,6	36	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234216 4	1,6	4	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234216 40	1,6	40	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234216 45	1,6	45	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234216 6	1,6	6	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234216 8	1,6	8	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234220 10	2	10	A2 - stal nierzewna	DIN 94	1000	opak.
○	EZ1234220 12	2	12	A2 - stal nierzewna	DIN 94	1000	opak.

Catalogue	Index	Ø d [mm] Diameter	l [mm] Length	Material grade	Other standard	Quantity per pack	U.m.
○	EZ1234220 14	2	14	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234220 16	2	16	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234220 20	2	20	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234220 25	2	25	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234220 32	2	32	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234220 36	2	36	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234220 40	2	40	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234220 5	2	5	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234220 50	2	50	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234220 6	2	6	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234220 8	2	8	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234225 10	2,5	10	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234225 12	2,5	12	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234225 16	2,5	16	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234225 20	2,5	20	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234225 25	2,5	25	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234225 32	2,5	32	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234225 36	2,5	36	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234225 40	2,5	40	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234225 50	2,5	50	A2 - stal nierdzewna	DIN 94	1000	opak.
○	EZ1234232 16	3,2	16	A2 - stal nierdzewna	DIN 94	500	opak.
●	EZ1234232 20	3,2	20	A2 - stal nierdzewna	DIN 94	500	opak.
●	EZ1234232 25	3,2	25	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234232 32	3,2	32	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234232 36	3,2	36	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234232 40	3,2	40	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234232 50	3,2	50	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234232 56	3,2	56	A2 - stal nierdzewna	DIN 94	500	opak.

Catalogue	Index	Ø d [mm] Diameter	l [mm] Length	Material grade	Other standard	Quantity per pack	U.m.
○	EZ1234232 63	3,2	63	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234232 71	3,2	71	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234232 80	3,2	80	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 16	4	16	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 20	4	20	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 25	4	25	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 32	4	32	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 36	4	36	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 40	4	40	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 50	4	50	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 56	4	56	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 63	4	63	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 71	4	71	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 80	4	80	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 90	4	90	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234240 100	4	100	A2 - stal nierdzewna	DIN 94	500	opak.
○	EZ1234250 16	5	16	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234250 20	5	20	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234250 25	5	25	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234250 32	5	32	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234250 36	5	36	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234250 40	5	40	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234250 50	5	50	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234250 56	5	56	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234250 63	5	63	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234250 71	5	71	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234250 80	5	80	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234250 90	5	90	A2 - stal nierdzewna	DIN 94	250	opak.

Catalogue	Index	Ø d [mm] Diameter	l [mm] Length	Material grade	Other standard	Quantity per pack	U.m.
○	EZ1234250 100	5	100	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 20	6,3	20	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 25	6,3	25	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 32	6,3	32	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 36	6,3	36	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 40	6,3	40	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 45	6,3	45	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 50	6,3	50	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 56	6,3	56	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 63	6,3	63	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 71	6,3	71	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 80	6,3	80	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 90	6,3	90	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234263 100	6,3	100	A2 - stal nierdzewna	DIN 94	250	opak.
○	EZ1234280 32	8	32	A2 - stal nierdzewna	DIN 94	100	opak.
○	EZ1234280 36	8	36	A2 - stal nierdzewna	DIN 94	100	opak.
○	EZ1234280 40	8	40	A2 - stal nierdzewna	DIN 94	100	opak.
○	EZ1234280 50	8	50	A2 - stal nierdzewna	DIN 94	100	opak.
○	EZ1234280 56	8	56	A2 - stal nierdzewna	DIN 94	100	opak.
○	EZ1234280 63	8	63	A2 - stal nierdzewna	DIN 94	100	opak.
○	EZ1234280 71	8	71	A2 - stal nierdzewna	DIN 94	100	opak.
○	EZ1234280 80	8	80	A2 - stal nierdzewna	DIN 94	100	opak.
○	EZ1234280 90	8	90	A2 - stal nierdzewna	DIN 94	100	opak.
○	EZ1234280 100	8	100	A2 - stal nierdzewna	DIN 94	100	opak.
●	EZ1234432 25	3,2	25	A4 - stal kwasoodporna	DIN 94	500	opak.

Key: A2 - stainless steel, A4 - acid-resistant steel

Minimum order quantity: 1 pack

Net price per pack

Download

[Kat_GLOTECH_DIN 94_ISO 1234.pdf](#)

Related products

[GLOTECH - Screw-type clamps - DIN 3017](#)

